] ]	UTILITY
PAT	<b>ENT APPLICATION</b>
<b>-</b> 1	TRANSMITTAL

Attorney Docket No 99,028 First Inventor or Application Identifier Raja Chatterjee et al. Title Methods and Apparatus for Indexing and Searching

			NSIVIIII A nal applications und		.53(b)) Expre	ss Mail La	bel No.	EK	(25799	1475US	
See	•	·	TION ELEMEN oncerning utility pat		contents.	AD	DRESS	TO: Box	c Patent A	mmissioner for Patents pplication DC 20231	
1. <b>[</b> 2. <b>[</b>	X (S X S) (p	Submit an on pecification preferred arra Descriptive Cross Refe Statement	mittal Form (e.g., ginal and a duplical and a duplical angement set forth the title of the Invenerences to Relate Regarding Fed sto Microfiche App	e for fee proces [Total Pages below) tion d Applications ponsored R &	19 ]		pplicabl	and/or Amin e, all neces Compute Paper Co	no Acid S ssary) r Readab opy (ident	gram (Appendix) Sequence Submission ole Copy ical to computer copy g identity of above co	90
			d of the Invention				ACCO	MPANYII	NG APP	LICATION PARTS	
A CA CA A A KA KA KA LA	X D Oath or a. [ b. [ WOTE FORES, A SM	Brief Description Detailed Det	the Disclosure (35 U.S.C. 113)  In the executed (original original	[Total Sheets [Total Pages inal or copy) Dication (37 Cal with Box 16 of EINVENTOR(S) ment attached in the price §§ 1.63(d)(2) ENTITLED TO PATITIED (37 C.F.R. § ELIED UPON (37	d deleting or application, and 1.33(b). SMALL ENTITY § 1.27), EXCEPT C.F.R. § 1.28).	14	Assig 37 C. (where English Inform State (Shock State (PTO) Certif (if form Othere	nment Pap F.R.§3.73(In there is all sh Translati nation Disc ment (IDS), ninary Ame In Receipt F Idd be special Entity ment(s) SB/09-12) ied Copy or eign priority	ers (cove b) Statem n assigned ion Docum losure /PTO-144 Indment Postcard iffically ite Stat Stat f Priority	er sheet & document(sheet) Power of Attorney ment (if applicable)  Gopies of III Copies of III Citations  (MPEP 503)  Gement filed in prior applicable in prior applic	DS Dlication, ired
<u>For</u>	Prior a CONTIN	Continuation  pplication inf  NUATION or  th, is consider	Divisional formation: Exam DIVISIONAL APPS dered a part of the	Continuiner  Sonly: The enti	uation-in-part (C ire disclosure the accompan	of the prior	of prior a  applicati uation or	pplication No Group / Art ion, from wh divisional a	o: t Unit: nich an oa application	th or declaration is sup n and is hereby incorpo	plied
				17. CO	HESERATION	NDE AD		-			
X	] Custo		r or Bar Code Label 1253`	(Insert Custo	<b>02125</b> omer No. or Att	3 ach bar code	label hei	or   re)	☐ Cort	respondence address bel	OW .
Naı	ne			rni	ENT TRIDEHNIK OFF	ICE					
Add	dress										
City	/				State			Zip	Code		
Cot	untry			T	elephone				Fax		
	Name	(Print/Type)	Owo	Keel	_	Re	gistration	No. (Attorney	//Agent)	20,406	7
	Signatu	ure	Charles C	G. Call					Date	February 1, 200	00

### Patent Specification

#### Title:

Methods and Apparatus for Indexing and Searching of Multi-Media Web Pages

#### Inventors:

Raja Chatterjee 103 Spit Brook Road # F4 Nashua, NH 03062, USA Citizenship: India

and

Susan Mavris 11 Southgate Drive Bedford, NH 03110, USA Citizenship: USA

Attorney Docket 99,028 Charles G. Call, Reg. No. 20,406 USPTO Customer No. 021253 53 Saint Stephen Street, Boston, MA 02115 (617) 266-2925 - call@patentsoft.com

20

#### Field of the Invention

This invention relates to electronic data storage, management and retrieval systems and more particularly to methods and apparatus for storing, indexing and searching data stored in and referenced by Web pages.

5

#### **Background of the Invention**

The Internet, and particularly the World Wide Web, allows multimedia information to be globally disseminated. Web pages expressed in a hypertext markup language often integrate information expressed in natural language text with static images, audio and video presentations and information generated by executing identified programs. While widely used "search engines" provide the ability to search for desired information based on the textual content of Web pages, there is a need for improved methods and apparatus for indexing and searching the multimedia content which is incorporated into Web pages.

#### Summary of the Invention

The present invention takes the form of methods and apparatus for first analyzing each Web page to be indexed to identify media data which are incorporated by reference into that Web page; then extracting information describing the media data thus identified from the referencing Web page, from the media file itself, and from other sources; then inserting the extracted information as text annotations into a copy of the original Web page used for indexing purposes, and finally presenting the annotated Web page for processing by conventional text-based Internet indexing and searching facilities. The resulting index with store the association between the original Web page and the metadata which describes that page's media data content.

25

In accordance with the invention, a media-specific parsing program may be advantageously used to extract metadata already stored in external media files or other media resources referred to in a Web page in accordance with the format specifications for that referenced data's particular media type. A media content processing program is also

25

5

preferably executed to analyze the media data to generate additional text-based information which characterizes the content of the referenced media data. In addition, a further program may be executed to acquire auxiliary data from one or more sources external to the media data being described, including such sources as the Internet, keyboarded descriptions entered by the user, or information describing the media data contained in system directories.

As contemplated by the invention, after the metadata describing the media data is obtained, it is combined to form a set of textual annotations in a standard text-based representation, preferably using Extended Markup Language (XML). These annotations are inserted into a copy of the original Web page which contained the references to the media data and the resulting annotated Web page is then indexed using conventional text-based indexing and search engines.

These and other objects, features and advantages of the present invention may be better understood by considering the following detailed description of the preferred embodiment of the invention. In the course of this description, reference will frequently be made to the attached drawings.

#### **Brief Description of the Drawings**

Fig. 1 is a block diagram illustrating the principle functions performed to implement the preferred embodiment of the invention; and

Fig. 2 is a flow chart illustrating the manner in which Web pages are scanned and annotated with metadata as contemplated by the invention.

#### **Detailed Description**

In the description of a specific embodiment of the invention that follows, the terms "media data" and "multimedia data" include digital image, video and audio data, and is to be distinguished from character- based text data which may be readily indexed and managed by conventional text processing mechanisms. Data which describes media data are interchangeably referred to as "metadata" and "annotations," these terms being used

25

5

interchangeably in the description which follows to identify a collection of indexable and/or manipulable attributes or properties expressed in natural language text (such at titles, media file attributes, file content descriptors, copyright notices, and the like).

The term "Web page" as used herein refers to an Internet addressable unit of data, such as a named file or data returned by an executable server program, which can be displayed by a Web browser program. The text data for Web pages are typically expressed in Hypertext Markup Language (HTML) but may also be expressed using the Structured Graphics Markup Language (SGML), or the Extended Markup Language (XML), all of which are character-based textual representations which may contain markup tags which identify non-text data, such as image, audio or video data, or program files. The markup tag typically contains the multimedia data's identifier, such as an Internet URL. Both Web pages and the media data which is incorporated by reference into the Web page are retrieved for presentation to a user from local storage using operating system file access routines, or from remote locations using a suitable request-response network communications protocol, such as the conventional HTTP / TCP-IP transmission mechanism used by the Internet World Wide Web facility.

HTML, in its preferred forms, as been defined in specifications which have continued to evolve to meet needs of users and developers. HTML 2.0 was developed under the aegis of the Internet Engineering Task Force (IETF) to codify common practice in late 1994 and is described in RFC 1866 (November, 1995). The efforts of the World Wide Web Consortium's HTML Working Group to codify common practice resulted in HTML 3.2 (January 1997). HTML 4.0, the latest version of which is currently available at the URL http://www.w3.org/TR/html40, extends HTML with mechanisms for style sheets, scripting, frames, embedding objects, and other enhancements.

The Extensible Markup Language (XML) is a subset of SGML which was designed to enable generic SGML to be served, received, and processed on the Web in the way that was previously possible with HTML. An XML document, as specified in the World Wide Web Consortium's Recommendation entitled "Extensible Markup Language (XML) 1.0"

25

5

(February, 1998), may consist of one or many storage units called *entities*; all of which have *content* and which are typically identified by *name*. Each XML document has one entity called the document entity, which serves as the starting point for the XML processor and may contain the whole document. The XML specification permits an XML document to refer to one or more external entities by an appropriate identifier (URI) so that the content of the external entity referred to may be incorporated into the XML document. Entities may be either parsed or unparsed. An *unparsed entity* is a resource whose contents may or may not be text, and if text, may not be XML. Each unparsed entity has an associated notation, identified by name. Beyond a requirement that an XML processor make the identifiers for the entity and notation available to the application, XML places no constraints on the contents of unparsed entities, and XML documents may accordingly contain media data as unparsed data. XML documents may be translated into HTML using a suitable translator in accordance with cascaded style sheets (CSS) or the Extensible Style Language (XSL).

As used herein, the term "hypertext markup language" should accordingly be understood to include all of the evolving versions of HTML, as well as other character-based hypertext markup languages such as SGML and XML.

HTML's multimedia features allow authors to include images, applets (programs that are automatically downloaded and run on the user's machine), video clips, and other HTML documents in their pages. Commonly, in order to completely render a web page (i.e, to display all of the referenced text and images, as well as to play referenced sound, video or program files), it is necessary for the web browser program to scan the HTML text, identify the references to included resources that need to be fetched, and issue a sequence of separate requests using the Hypertext Transfer Protocol (HTTP) to obtain a current copy of each additional item of referenced data which may then be rendered by the browser or by a "helper" application capable of rendering data of a particular type. The rendering of an XML document may similarly require multiple HTTP request / response exchanges to assemble the entire document, including exchanges for fetching unparsed entities containing image, video, audio or program data which is rendered as part of the Web page.

10 #### 1994 C

5

20

25

As contemplated by the present invention, Web pages are pre-processed to enrich them with text-based annotations which describe the multimedia data which is incorporated by reference into a copy of the original Web page which be used for indexing purposes. The index will maintain an association between the original Web page and the media-sensitive metadata. The additional metadata which is inserted into each Web page to describe its multimedia content may then be processed by conventional Web page indexing and searching software to allow multimedia data to be more readily located, presented to users, and otherwise processed.

The mechanism for automatically inserting searchable character-based annotations into a Web page which describe the multimedia component of that Web page is illustrated generally in Fig. 1 of the drawings. First, the Web page seen at 11 is automatically analyzed at 13 to identify the presence of markup tags which specify the URLs of external resources which supply multimedia content for the Web page 11.

The detection of one or more tags containing URLs which specify image data trigger processes which extract metadata from the identified image content as well as others sources as indicated 15. Similarly, markup tags containing URLs which identify audio or video data are processed as illustrated at 16 and 17 and respectively to extract metadata which describes each multimedia entity. As seen at 20, the extracted metadata is converted into annotations expressed in a character-based format suitable for processing by conventional Web page indexing and searching mechanisms. The annotations added to the copy 12 of the Web page 11 are preferably expressed in the Extended Markup Language (XML). These annotations are inserted at 22 into a copy 12 of the original Web page 11 to enhance its descriptive content before the copy 12 is indexed or published via the Internet 24. The information contained in the inserted annotations make that information available for indexing by existing search engines illustrated by the index server 25 in Fig. 1. Any authorized Internet user may employ a conventional Web browser 27 to communicate with the index server 25 to obtain the URL of

25

5

Web page 11 by performing conventional keyword searches which employ search terms which characterize page 11's multimedia content. For example, a search might be conducted for Web pages which incorporate an audio rendition of "Stardust" or for Web pages that contain a JPEG image picturing a "dove" by using conventional search engines to identify web pages which contain the words "stardust" or "dove" respectively.

The mechanism for automatically annotating a Web page with metadata describing that pages multimedia components is illustrated in more detail by the flow chart of Fig. 2. The process is entered at 31 and the first Web page to be annotated is selected from a collection of such web pages (for example, from the contents of a directory folder containing Web pages to be published on the Internet, optionally further including all other Web pages specified in links within Web pages using a "crawler"). The Web pages being indexed may be stored locally or fetched via the Internet.

The process of scanning or parsing each Web page is initialized at 33 and proceeds at 34. As indicated at 35, the scanning process searches the selected Web page for markup tags which specify multimedia content. The identification of multimedia tags may be performed by an conventional HTML, SGML or XML parser. For example, the standard Java class *DocumentParser* in the package *javax.swing.text.html.parser* contained in the *Java Platform* 1.2 API Specification as promulgated by Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California, 94303 may be used to parse HTML Web pages, and *Oracle's XML Parser for Java v2*, available from Oracle Corporation, 500 Oracle Parkway, Redwood Shores, CA94065), may be used to identify multimedia tags in XML documents. The identification of multimedia tags may be performed as part of a concurrently performed process of validating the HTML, SGML, or XML pages (documents) prior to publication.

Alternatively, the text content of the web page may be directly scanned for the presence of tags which include the URLs of imbedded media files. For example, a case insensitive character scan may be performed for the specific HTML character strings which begin multimedia tags, such as:"<img " (images), "<a " (links to other web pages), "<form" (form handling programs), "<area " (image mapped links to other web pages), "<frame " (web pages)

25

5

loaded into frames), "<embed " (audio or video), "<sound " or <br/>bgsound " (background audio). When each such tag is identified, the scanning process may then extract the URL placed in the tag in accordance with that tag's standard format. Note that, when the Web page includes an optional <br/>base> tag containing a protocol and pathname, "local" URLs found within tags may be fully resolved by combining them with the separately specified base URL. Note also that the URL of the referenced media data may serve three separate purposes: it may be used to access the multimedia data from the identified resource so that additional descriptive metadata may be extracted for indexing and searching purpose, the filename extension in the URL may be used to determine the type of multimedia data to perform type-specific processing, and the URL itself constitutes metadata which may be useful for indexing and searching functions.

In addition to the URL, the markup tag which identifies multimedia may include additional information which describes how the media content is integrated into the web page. For example, "<img>" tags may also include optional parameters such as an "alt" parameter which specifies descriptive text to be displayed when, for some reason, the referenced image file cannot be rendered, and "height" and "width" parameters indicating the size of the image as displayed in the Web page. This descriptive information may be extracted to form part of the metadata about the referenced multimedia data which is later inserted into the Web page for indexing and searching as discussed later.

Still further information may be obtained from the file system directories which are maintained by the storage system which stores the multimedia data. Such directories typically contain time stamp information indicating when media data files were initially created and last modified. This information may be captured from the system directories and included as part of the metadata describing the multimedia data.

Finally, the content of the media data itself may contain information which can be expressed in text form as metadata. To capture such information, the type and format of the media data may be determined as indicated at 38 in Fig. 2 from the MIME type designation or a registered type designation associated with the filename extension in the URL, or by identifying format-identifying characteristics of the media data.

The media type when determined may be used to select a specific process at 40 for extracting descriptive information which from the content of the file. For example, common graphics file formats and the filename extension characters used to identify them are listed below:

5	EXT.	DATA FORMAT
	BIFF	XITE 3D file format
	ВМР	Microsoft Windows bitmap format
	BW	SGI Black & White Image File Format
10	CGM	Computer Graphics Metafile
And the state of t	DRAW	Acorn's object-based vector image file format [Link]
A STATE OF THE STA	DWG	AutoCAD drawings file format information [Link]
ALTH ALTH ALTH BENT SHEW, ARW, ARW, ARW, ARW, ARW, ARW, ARW, AR	FAX	The Group 3 Facsimile standard
	DCX	Format (graphics format for fax)
15 15	EPSF	Encapsulated Postscript Files
And Store the Bull of the Store that the Store the Store that the Store that the Store that the Store that the	FIG	The FIG V3.1 file format (used by the xfig utility)
Side of the side o	FITS	Flexible Image Transport System
	GIF	Graphics Interchange Format
वक्र से	HDF	Hierarchical Data Format
20	ICC	Used for Kodak printer
	IFF	Interchange Format
	JPEG, JPG	JPEG File Interchange Format (V1.02)
	MIFF	Machine Independent Format
	NAP	The NAPLPS objected-oriented format
25	netCDF	The network Common Data Form
	PIX	Used by SGI Alias Wavefront products
	PCX	Used by PC Paintbrush
	PNG	Portable Network Graphics Specification

	PBM	Enhanced Portable Bitmap toolkit
	RLE	Utah Run Length Encoded Format
	RAS	Sun Raster File Format
	RGB/RGBA	SGI Colour Image File Format
5	SLD/SLB	AutoDesk Slide File Format
	SLD	Slide File Format Specification
	SLB	Slide Library File Format Specification
	SPRITE	Acorn's bitmap format for their RISC OS
	TGA	Targa File Format
10	TIFF	Tag Image File Format
	VIFF	Used by the Khoros Visualisation package
dan gan gang gang dan gan dan alam gan gan gan dan gan dan gan dan gan gan gan gan gan gan gan gan gan g	X	The AVS Image Format
<b>1</b>	XBM	X BitMap Format
And the second	XPM	X PixMap Format
15 <sub>m</sub>	XWD	X Window Dump Format
1000 Marie	Audio files, such as "	.wav" Wave files and '.mid" MIDI files, and
10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	MPEG compressed v	ideo, are similarly indicated by the filename
7		

20

25

and video files, such as ".mpg" arly indicated by the filename extension MIME type.

Using the URL in the markup tag to fetch the media file, and using the filename extension media-type specifier in the URL to select a media-format-type specific routine to extract descriptive information from the content of the identified media data, that descriptive information may then be appended at 42 to the other annotations which describe the media data.

The type-specific media extraction of metadata embedded in the digital media is performed at 40 according to the file format specifications for the particular type of media file being processed. The type-specific file format specifications define the structure of the media data and indicate where metadata of interest is located within the media data, allowing it to be extracted at 40, transformed into a standard text-based format, preferably XML, and appended to the other annotations at 42. The MIME type of the media source may be used to select, dynamically load and execute an appropriate, type-specific parsing routine adapted to extract

A STATE OF THE STA

20

25

5

desired metadata from media data of the identified mimetype. A set of standard parsers for use with widely used media types may be extensibly augmented by additional, user-defined parsers which may be "plugged into" the framework at run-time, thereby extending the range of media formats handled by the system.

The metadata extracted from the content of the media data is appended at 42 to the metadata previously obtained from other sources, including the markup tags which identified the media data, from system directories, and from other sources, such as keyboarded input accepted from a human editor and supplied in response to automatically generated prompts generated during the course of the annotation process.

In accordance with the invention, the combined metadata describing each of the various multimedia resources which are incorporated into the Web page being scanned are represented in text (character-based) form and inserted into the Web page to enhance its content as seen at 46 in Fig. 2. These inserted text annotations may advantageously conform to both the XML specification and to the *Resource Description Framework (RDF) Model and Syntax Specification*, a World Wide Web Consortium (W3C) Recommendation (available at http://www.w3.org/TR/REC-rdf-syntax). The RDF Recommendation introduces a model for representing metadata as well as a syntax for encoding this metadata in a manner that maximizes the interoperability of independently developed Web servers and clients. RDF uses the Extensible Markup Language XML and specifies semantics for data based on XML in a standardized, interoperable manner.

The extracted metadata is preferably classified in accordance with predefined annotation element types or predefined attributes of an element type. For example, the attribute names listed below may be used for enhancing the content of Web pages in accordance with the present invention. These listed attributes are also used in the *Oracle interMedia Annotator*, as disclosed in U.S. patent application Serial Number 09/410,781 filed on October 1, 1999 by Alok Srivistava, Paul Lin and Marco Carrer, the disclosure of which is incorporated herein by reference. That prior application describes the use of metadata describing multimedia data as used in XML annotations which are stored in a relational database for indexing and searching

multimedia resources also stored in the database. See also, the "Oracle8i interMedia Audio, Image, and Video User's Guide and Reference." Release 8.1.,5 Oracle Corporation, part number A67299-01, (1999).

### 5 Generic Media Annotations

	Attribute	Description
	MEDIATITLE	Title of the media
	MEDIACOPYRIGHT	Copyright information of the media
	MEDIAPRODUCER	Producer of the media
10	MEDIADURATION	Duration (in seconds) of the media
C. Berry Strain Strain	MEDIACONTENT_DATE	Creation date of the media content
բույն արդը արև արդը կան գրույ որու արդ հայ	MEDIAMODIFICATION_TIME	Modification time of type Java.lang.Date
e H	MEDIACREDITS	Credits for content providers
	MEDIASIZE	Size of the media
15	MEDIAFORMAT_ENCODING	Format of the media
The State of the S	MEDIAUSER_DATA	String containing all user data
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	MEDIALANGUAGE	Language of the media
19 19 18 19 18 19 19 19 19 19 19 19 19 19 19 19 19 19	MEDIABITRATE	Bitrate of the media (in bits/second)
361- 27	MEDIACATEGORY	Media category/genre
20	MEDIASOURCE_URL	Location/URL of the parsed media source
	MEDIASOURCE_PROTOCOL	URL protocol of the media source
	MEDIASOURCE_MIME_TYPE	MIME type of the media and its samples
	MEDIASOURCE_DIRECTORY	Directory where the source is stored
	MEDIASOURCE_FILENAME	Filename of the source
25	MEDIASOURCE_FILE_FORMAT	Media file format
	MEDIAAUTHORING_TOOL	Software tool used to create the media

#### **Audio Annotations**

	Attribute	Description
	AUDIOAUDIO_ARTIST	Main artist for the audio clip
	AUDIOAUDIO_BITS_PER_SAMPLE	Number of bits per sample
	AUDIOAUDIO_SAMPLE_RATE	Audio sample rate (in samples/second)
5	AUDIOAUDIO_NUM_CHANNELS	Number of audio channels

. . . . .

The state

20

25

#### Image and Video Annotations

	Attribute	Description
	VIDEOFRAMERATE	Video frame rate (in frames/second)
10	VIDEOFRAMESIZE	Video frame size (in bytes)
Mars. Will Tour American	VIDEOSRCHEIGHT	Video height (in pixels)
માં કે	VIDEOSRCWIDTH	Video width (in pixels)
100 Sept. 100 Se	VIDEOHORIZONTALRES	Horizontal resolution (in pixels/inch)
San	VIDEOVERTICALRES	Vertical resolution (in pixels/inch)
<b>15</b> <sup>a</sup>	VIDEOISGRAYSCALE	Whether the video has colors
dents money of	VIDEO_DEPTH	Number of bits for the color depth

While the above-noted attribute names and meanings may be used to particular advantage in those systems which employ like attribute names, such as the interMedia Text Engine, automated routines which generate annotations having different or additional attribute and element names may be used. The selection of a particular schema is made to best integrate the operation of the annotation-generating preprocessor with the operation of existing indexing and searching facilities.

When all of the Web pages in the collection have been enhanced with inserted annotations describing the included multimedia data, as determined at 48 in Fig. 2, the annotated Web page copies may then be indexed as indicated at 50 in conventional ways. Simply making such enhanced Web pages available on the Web allows them to be indexed by existing automated search engines ("Web crawlers" or "spiders") such as those used by the

10

indexes are publicly available at <a href="www.hotbot.com">www.hotbot.com</a>, <a href="www.hotbot.com">www.altavista.com</a>, <a href="www.excite.com">www.excite.com</a>, <a href="www.excite.com">www.excite.com</a>, <a href="www.excite.com">www.excite.com</a>, <a href="www.excite.com">www.excite.com</a>, <a href="www.excite.com">www.excite.com</a>, <a href="www.excite.com</a>, <a href="www

#### Conclusion

It is to be understood that the specific embodiment of the invention which has been described is merely illustrative of one application of the principles of the invention. Numerous modifications may be made to the system described without departing from the true spirit and scope of the invention.

#### What is claimed is:

5

6

7

8

Of the control of the species of the

- 1. Apparatus for indexing a Web page which incorporates multimedia data by reference to one or more resources which supply said multimedia data, said method comprising, in combination:
- means for analyzing said web page to identify at least one markup tag containing a reference to a given one of said resources,
  - means for selecting and executing a media processing program for analyzing the content of the multimedia data supplied by said given one of said resources to generate metadata describing said content,
  - means for formatting said metadata into a character-based text annotation,
  - means for combining said Web page and said annotation to form an enhanced Web page, and

means for indexing said enhanced Web page.

- 2. Apparatus as set forth in claim 1 wherein said means for selecting and executing a media processing program comprises means for determining the particular data type of the multimedia data supplied by said given resource and means for selecting a processing program for analyzing multimedia data formatted in accordance with said particular data type.
- 1 3. Apparatus as set forth in claim 1 wherein said means for formatting said metadata comprises
- 2 means for generating a text data annotation expressed in accordance with the Extensible
- 3 Markup Language.
- 4. Apparatus as set forth in claim 1 including means for acquiring additional metadata which
- 2 describes the multimedia data supplied by said given one of said resources, and means for
- 3 including said additional metadata in said character-based text annotation.

- 1 6. Apparatus as set forth in claim 4 wherein said given resource is accessed through the
- 2 operating system of a computer which provides said given resource and wherein at least some
- of said additional data includes information obtained from said operating system.
- 7. Apparatus as set forth in claim 4 wherein at least some of said additional information is
- 2 obtained via the Internet.

THE BOARD OF THE PERSON NAMED IN THE PERSON NA

7.

8

9

10

11

1

8. Apparatus for collecting and storing metadata describing a hypertext Web page, said Web page including markup tags which identify multimedia data from one or more different external resources, said apparatus comprising, in combination,

a parser for identifying said markup tags in said Web page,

processing means for analyzing the content of said multimedia data identified by said markup tags to generate metadata describing said multimedia data,

means for translating said metadata into a character-based text annotation describing said multimedia data, and

means for storing the combination of a copy of said Web page and said annotation to form an enhanced Web page suitable for processing by text-based indexing and searching facilities.

- 9. Apparatus as set forth in claims 8 wherein said text annotation is expressed in the Extensible
- 2 Markup Language.

2

- 10. The method of automatically enhancing the content of a Web page which contains multimedia data incorporated by reference which comprises, in combination, the steps of:
- identifying one or more markup tags in said Web page which respectively identify one or more external resources which provide said multimedia data;
- 5 generating metadata which describes said multimedia data,
- 6 translating said metadata into a character-based text annotation, and
- inserting said annotation into said Web page to form an enhanced Web page suitable for processing by a character-based text processing system.
  - 11. The method of automatically enhancing the content of a Web page as set forth in claim 10 wherein said step of identifying one or more markup tags comprises the steps of first identifying markup tags in said Web page and extracting the uniform resource locator (URL) of one of said external resources from at least selected ones of said markup tags.
  - 12. The method of automatically enhancing the content of a Web page which contains multimedia data as set forth in claim 10 wherein said step of generating metadata includes the sub-steps of retrieving said multimedia data from said one or more external resources and analyzing the content of said multimedia data to extract said metadata therefrom.
- 1 13. The method of automatically enhancing the content of a Web page as set forth in claim 12
- 2 wherein said step of generating metadata comprises the sub-steps of identifying the data type of
- 3 the multimedia data from each of said resources and then selecting a processing routine for
- 4 multimedia of the identified data type from each of said resources.
- 1 14. The method of automatically enhancing the content of a Web page as set forth in claim 10
- 2 includes the further step of indexing said enhanced Web page to provide access to said Web
- page in response to queries expressing one or more attributes expressed in said text annotation.

- 1 15. The method of automatically enhancing the content of a Web page as set forth in claim 10
- 2 includes the further step of searching the content of said enhanced Web page in response to a
- 3 search request to determine if attributes expressed in said search request are contained in said
- 4 text annotation.
- 1 16. The method of automatically enhancing the content of a Web page as set forth in claim 13
- 2 includes the further step of indexing said enhanced Web page to provide access to said Web
- page in response to queries expressing one or more attributes expressed in said text annotation.
  - 17. The method of automatically enhancing the content of a Web page as set forth in claim 13 includes the further step of searching the content of said enhanced Web page in response to a search request to determine if attributes expressed in said search request are contained in said text annotation.

10

#### **Abstract of the Disclosure**

A system for automatically enhancing Web pages with annotations expressed in Extensible Markup Language (XML) which describes the pages' multimedia content. Each Web page is parsed or scanned to identify markup tags which contain the URLs of separately stored multimedia data (e.g. image, audio or video files). Each referenced multimedia data entity is then retrieved and analyzed by a type-specific process to extract metadata which describes its content. Additional descriptive metadata may be obtained from the referencing markup tag, accepted from a human editor, or fetched from operating system directories which provide access to the multimedia files. The resulting metadata is expressed in text-based XML format and inserted into a copy of the Web page to form an enhanced Web page whose multimedia content may then be processed by conventional text-based indexing and searching facilities.





Fig. 1



							-
Please type	_	micro alam	/ . v	ton a t at a	44. 8		
riease type	e d	pius sign	(+)	inside	tnis	DOX	 T

a valid OMB control number.

**Attorney Docket Number** 

# PTO/SB/01 (12-97) Approved for use through 9/30/00. OMB 0651-0032 Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE a valid OMB control number

99,028

DECLADATION E	OD UTU ITV O	D Attorney Do	Attorney bocket Hulliber 59,02				
DECLARATION F DESI	_	First Named	Inventor	Raja Chatterjee			
PATENT AP	PLICATION		COMPLETE IF KNOWN				
(37 CFF	₹ 1.63)	Application N	lumber				
☑ Declaration	1 Declaration	Filing Date					
Submitted OR	J Declaration Submitted after Init	ial Group Art Un	it				
with Initial Filing	Filing (surcharge (37 CFR 1.16 (e)) required)	Examiner Na	me				
As a below named invento							
My residence, post office ad	idress, and citizenship are	as stated below next to	my name.				
I believe I am the original, fir names are listed below) of the	st and sole inventor (if only	y one name is listed bel	ow) or an original,	first and joint inventor (if plural			
2 =							
ivietnods and Ap	pparatus for Indexi	ing and Searchin	g of Multi-Me	edia Web Pages			
the specification of which	(Titl.	e of the Invention)	······································				
is attached hereto OR	(114)	o or the miverison,					
was filed on (MM/DD/	YYYY)	as U	nited States Annlic	cation Number or PCT International			
Application Number							
II L	ewed and understand the	as amended on (MM/DI	· -	(if applicable).			
na di	opcomodily referred to abc	ove.					
acknowledge the duty to disc	close information which is r	material to patentability	as defined in 37 C	CFR 1.56.			
I hereby claim foreign priority certificate, or 365(a) of any PC America, listed below and have or of any PCT international app  Prior Foreign Application	benefits under 35 U.S.C. CT international application also identified below, by colication having a filing date	before that of the appl	cation on which p				
Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached? YES NO			
Additional foreign application	n numbers are listed on a	Supplemental priority de	ita sheet PTO/ep	MOR attached horoto			
i hereby cialin the benefit und	er 35 U.S.C. 119(e) of any	United States provision	nal application(s) li	sted below.			
Application Number(s)	Filing Date	(MM/DD/YYYY)					
				ional provisional application			
				ers are listed on a emental priority data sheet			
			PTO/	SB/02B attached hereto.			

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

# **DECLARATION** — Utility or Design Patent Application

U	.S. Par	ent Applicat	ion o		applicat Parer		Parent	_		Par	rent Patent N	
	<del></del>	Numl		<del></del>				DD/YYY			(if applical	
Additiona	U.S. or	PCT internationa	applic	ın noite	mhers;	are listed on	- ounnlame	nrinr	" data ehar	·		·
As a named in	ventor, I f	hereby appoint the	ne follov	wing reg	gistered	practitioner(s	s) to prosecu	ıte this ap	ty data snee	d to trans	act all business	in the Pate
allu trumerii	i Umuu	ounecrea merci-	itn: LX	Custo OR	mer Nu	mber	021253	3	J	→ [	Place Custo Number Bar	omer Code
	Nam	ne		Hegis	Regis	actitioner(s)   stration  mber	name/registr	ation nur	mber listed b	elow L		stration
		10-			134	<u>mber</u>		•	Turne		Nu	mber
Y Additional	iotoro											
Direct all corr		d practitioner(s) rence to:		on supr mer Nu				Informat	ion sheet P	ΓΟ/SB/02	C attached here	to.
				Code		02	1253		OR 🗆	Corresp	ondence addr	ess belov
Name												
Address						02	1253					
Address						PATENT TRADE	HARK OFFICE					
City							State		ZIP	,		<u></u>
Country					elepho				Fax	ĸ		
punishable by	fine or in	Il statements mad further that the mprisonment, or t issued thereon.	hoth i									
Name of So	ole or F	irst Inventor	r:		_		A petit	ion has	been filed	for this I	unsigned inver	ntor
Gi		me (first and mi	iddle [i	if anv])					Family Nan	ne or Su	ırname	
I	Ra	aja	·				Chatte	rjee				
Inventor's Signature		Raja (	ha	their	iec						1-25-2000 Date	
Residence: C	ity	Nashua		· · · · · · · · · · · · · · · · · · ·	State	NH	Country	Įυ	J.S.A.		Citizenship	India
Post Office Ad	idress	103 Spit	Bro	ok F	≀oad	# F4		·				
_					<del></del>	<del></del>					<del></del>	
Post Office Ad	dress											

Approved for use through 9/30/98. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

# **DECLARATION**

# **ADDITIONAL INVENTOR(S)** Supplemental Sheet Page 1 of 1

Name of Addition	Name of Additional Joint Inventor, if any:  A petition has been filed for this unsigned inventor											
Given Nar	Given Name (first and middle [if any])						Family Name or Surname					
	Suzan			M	lavris							
Inventor's Signature	Jusan Mar	iria	)					/-25-6 Date	1000			
Residence: City	Bedford	State	NH	c	ountry	U.S.A.		Citizens	hip	U.S.A.		
Post Office Address	11 Southgate Drive											
Post Office Address												
City	Bedford	State	NH		ZIP	03110	Count	<sub>ry</sub> U.	S.A.			
100	nal Joint Inventor, if an	y:			A petitio	on has been file	d for the	nis unsign	ed inv	entor		
W-1	me (first and middle [if any]	)				Family Na	me or	Surname				
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1												
inventor's Signature				•				Da	te			
Residence: City		State		c	ountry			Citizer	nship			
Post Office Address				•								
Post Office Address												
City		State			ZIP		Cou	ntry				
Name of Addition	nal Joint Inventor, if an	y:			A petitio	on has been file	ed for th	nis unsign	ed inv	entor		
Given Nar	me (first and middle [if any])	)				Family Na	me or	Surname				
		-										
Inventor's Signature								Dat	te			
Residence: City		State		C	ountry			Citizer	nship			
Post Office Address												
Post Office Address												
City		State			ZIP			ountry				

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a

valid OMB control number.

# **DECLARATION**

# REGISTERED PRACTITIONER INFORMATION (Supplemental Sheet)

		(oupplemental office)				
Name	Registration Number	Name	Registration Number			
Sanjay Prasad	36,247					
नुष्य स्थापना । पुराव स्थापना ।						
Config. Config. 1.						
A Company of the Comp						
And the state of t						
A march ports						
He dans the control of the control o						
The state of the s						

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.